



VG-650Pro

LED GROW LIGHT 6 Bars

Best commercial LED grow light solution for Flowering use only


VG-650Pro

LED GROW LIGHT 6 BARS


Best commercial LED grow light solution for Flowering use only

Description

Best Bloom Fixtures For Monster Yields,
Yields up to 3.6-4.0lbs.




Spectral Distribution



Model No.	VG-650Pro
Light Source	Samsung / Osram / Seoul
Spectrum	Full Spectrum
PPF	1807 $\mu\text{mol/s}$
Efficacy	2.78 $\mu\text{mol/J}$
Input Voltage	AC100 ~ 277V
Input Current	6.5 A ~ 2.35 A
Frequency	50/60 Hz
Input Power	650 W
Fixture Dimensions	1165*1145*80 mm
Weight	N.G 9.62 kg/ G.W 12.18 kg
Temperature Ambient	95°F/35°C
Mounting Height	$\geq 12"$ Above Canopy
Thermal Management	Passive
External Control signal	0-10 V
Dimming Option	0%/25%/50%/75%/100%/ EXT
Light Distribution	120°
Lifetime	$\geq 50,000$ hrs
Power factor	≥ 0.95
Waterproof Rate	IP65
Warranty	5-years warranty


Summary




Assembly Instructions

- 1**


Mounting the fixture with four lance hangers are securely snapped in the LED fixtures' s four hooks,


- 2**


Use two people to lift the LED fixture to snap together or wrap the hangers to the strong enough support structures. And hang the four lance hangers to get a balanced LED fixture.


- 3**

The steel rope can wrap more coils to adjust the LED fixture to get the proper height.


- 4**




Another mounting way is shown as picture.



Packaging Information



Carton Size	G.W./Carton	Quantity/Carton
1255*120*685mm	12.18 kg	1 pcs



Any Questions & Any Needs, Please Contact Us

 +86-755-27800561

 Info@sz-vaher.com